



# X-HEAD MODEL XC

## QUICK COLOUR CHANGING SYSTEM

X-HEAD Model C crossheads are engineered for Quick Color Change capabilities directly during active extrusion production. The X-HEAD C is currently the most versatile system on the market; it enables a seamless transition between various cable production types simply by swapping the R-System insert cartridges. By utilizing System C, manufacturers can achieve a drastic reduction in material scrap and significantly minimize equipment downtime.

The optimal choice depends on the specific product and its requirements. The selection is primarily determined by the necessary variables, such as base and stripe color changes, wall thickness, insulation material, and the frequency of color transitions.»

**See all different colour changing possible combination**



## Crosshead model XC

Specification	XC1
Minimum core Ø	0.5 mm
Maximum core Ø	6 mm
Minimum die Ø	1.0 mm
Maximum insulation Ø	10 mm
Maximum tube die Ø	10 mm
Maximum pressure	500 bar
Layer types	1.1 C-A 1.2 C-B 1.3 C-C 1.4 C-D
Application	
Materials	PE (LD, MD, HD), PP, XLPE, TPE, PA, PBT, PC, PVC
Special characteristics	
Centering types	fixed
Heating zones	
Options	
Extruder connections	connection flanges for any type of extruder
By-pass	manual, hydraulic
Distributors	design for special polymers
Distributors	Maintenance handling system for easy cleaning
Ultra Glide	Special surface treatment to reduce friction
Accessories	vacuum adaptator, service tool box
Head support	head stand, head trolley

## Crosshead model XC

Specification	XC2
Minimum core Ø	1.0 mm
Maximum core Ø	16 mm
Minimum die Ø	1.0 mm
Maximum insulation Ø	20 mm
Maximum tube die Ø	20 mm
Maximum pressure	500 bar
Layer types	1.1 C-A 1.2 C-B 1.3 C-C 1.4 C-D
Application	
Materials	PE (LD, MD, HD), PP, XLPE, TPE, PA, PBT, PC, PVC
Special characteristics	
Centering types	fixed
Heating zones	
Options	
Extruder connections	connection flanges for any type of extruder
By-pass	manual, hydraulic
Distributors	design for special polymers
Distributors	Maintenance handling system for easy cleaning
Ultra Glide	Special surface treatment to reduce friction
Accessories	vacuum adaptator, service tool box
Head support	head stand, head trolley