


X-HEAD MODEL XFL

CROSSHEAD FOR FLAT CABLES EXTRUSION

Engineered specifically for flat cable production, this innovative design features a specialized flow path. It ensures an even distribution of insulation, allowing you to achieve absolute perfection in wall thickness across the entire profile.



Crosshead model XFL

Specification	XFL1
Minimum width	10 mm
Maximum width	40 mm
Maximum pressure	500 bar
Layer types	1.0 1 layer
Application	
Materials	PE (LD, MD, HD), PP, XLPE, TPE, PA, PBT, PC, PVC, EDPM, HFFR,
Special characteristics	
Centering types	fixed
Options	
Extruder connections	connection flanges for any type of extruder
By-pass	manual, hydraulic
Distributors	design for special polymers
Distributors	Maintenance handling system for easy cleaning
Ultra Glide	Special surface treatment to reduce friction
Accessories	vacuum adaptator, service tool box
Head support	head stand, head trolley

Crosshead model XFL

Specification	XFL2
Minimum width	20 mm
Maximum width	80 mm
Maximum pressure	500 bar
Layer types	1.0 1 layer
Application	
Materials	PE (LD, MD, HD), PP, XLPE, TPE, PA, PBT, PC, PVC, EDPM, HFFR,
Special characteristics	
Centering types	fixed
Options	
Extruder connections	connection flanges for any type of extruder
By-pass	manual, hydraulic
Distributors	design for special polymers
Distributors	Maintenance handling system for easy cleaning
Ultra Glide	Special surface treatment to reduce friction
Accessories	vacuum adaptator, service tool box
Head support	head stand, head trolley

Crosshead model XFL

Specification	XFL3
Minimum width	40 mm
Maximum width	140 mm
Maximum pressure	500 bar
Layer types	1.0 1 layer
Application	
Materials	PE (LD, MD, HD), PP, XLPE, TPE, PA, PBT, PC, PVC, EDPM, HFFR,
Special characteristics	
Centering types	fixed
Options	
Extruder connections	connection flanges for any type of extruder
By-pass	manual, hydraulic
Distributors	design for special polymers
Distributors	Maintenance handling system for easy cleaning
Ultra Glide	Special surface treatment to reduce friction
Accessories	vacuum adaptator, service tool box
Head support	head stand, head trolley